

Publications by R.H. Drent

- Drent R.H. 1961. On the supposed nesting of the rhinoceros auklet near Metlakahtla, Alaska. *Auk* 78: 257–258.
- Drent R.H. & Guiguet C.J. 1961. A catalogue of British Columbia sea-bird colonies. *Occasional Paper BC Prov. Museum* 12: 1–113.
- Drent R., Van Tets G.F., Tompa F. & Vermeer K. 1964. The breeding birds of Mandarte Island, British Columbia. *Canadian Field Naturalist* 78: 208–263.
- Drent R.H. 1965. Breeding biology of the Pigeon Guillemot, *Cephus columba*. *Ardea* 53: 99–160.
- Drent R.H. 1970. Functional aspects of incubation in the herring gull. *Behaviour* 17: 1–132.
- Drent R.H. & Stonehouse B. 1971. Thermoregulatory responses of Peruvian Penguin, *Spheniscus humboldti*. *Comparative Biochemistry and Physiology* 40: 689–710.
- Campbell W.R., Shepard M.G. & Drent R.H. 1972. Status of birds in the Vancouver area in 1970. *Syesis* 5: 137–167.
- Drent R.H. 1972. Adaptive aspects of the physiology of incubation. *Proc. Int. Ornithol. Congr.* 15: 255–280.
- Drent R. 1973. The natural history of incubation. In: Farner D.S. (ed.) *The breeding biology of birds* Volume 4. *Natl. Acad. Sci., Washington, D.C.*, pp. 262–311.
- Drent R.H. 1975. Incubation. In: Farner D.S., King J.R. & Parker K.C. (eds) *Avian Biology*. Vol. 5. *Academic Press, New York*, pp. 331–420.
- Ebbinge B., Canters K. & Drent R. 1975. Foraging routines and estimated daily food intake in Barnacle Geese wintering in the northern Netherlands. *Wildfowl* 26: 5–19.
- Drent R.H. & Swierstra P. 1977. Goose flocks and food finding: field experiments with Barnacle Geese in winter. *Wildfowl* 28: 15–20.
- Drent R.H. 1978. *Investeren in nakomelingschap. Openbare les uitgesproken op 17 oktober 1978. Rijksuniversiteit, Groningen.*
- Owen M., Drent R.H., Ogilvie M.A. & Spanje T.M. 1978. Numbers, distribution and catching of Barnacle Geese (*Branta leucopsis*) on the Nordenskiöldkysten, Svalbard, in 1977. *Norsk Polarinstitut Arbok (Oslo) 1977*: 247–258.
- Hummel H.K., van Delden W. & Drent R.H. 1979. Estimation of some population parameters of *Drosophila limbata* V Roser in a greenhouse. *Oecologia* 41: 135–143.
- Summers K.R. & Drent R.H. 1979. Breeding biology and twinning experiments of Rhinoceros Auklets on Cleland Island, British Columbia. *Murrelet* 60: 16–22.
- Drent R.H. & Daan S. 1980. The prudent parent – Energetic adjustments in avian breeding. *Ardea* 68: 225–252.
- Drent R.H., Ebbinge B. & Weijand B. 1980. Balancing the energy budgets of arctic-breeding geese throughout the annual cycle: A progress report. In: Smart M., Reichholf & Fuchs E. (eds) *Proceedings Symposium on Feeding Ecology of Waterfowl*. *Ornith. Gesellsch. Bayern, Munchen*, pp. 239–264.
- Drent R.H. & van Eerden M.R. 1980. Goose flocks and food exploitation: How to have your cake and eat it. *Acta XVII Congr. Int. Ornithol.* 800–806.

- Prins H.H.T., Ydenberg R.C. & Drent R.H. 1980. The interaction of Brent Geese *Branta bernicla* and Sea Plantain *Plantago maritima* during spring staging: field observations and experiments. *Acta Botanica Neerlandica* 29: 585–596.
- Prop J., van Eerden M.R., Daan S., Drent R.H., Tinbergen J.M. & StJoseph A.M. 1980. Ecology of the Barnacle Goose (*Branta leucopsis*) during the breeding season – Preliminary results from expeditions to Spitsbergen in 1977 and 1978. Proceedings of the Norwegian–Netherlands Symposium on Svalbard. Arctic Centre, Groningen, pp. 50–112.
- Tinbergen J.M. & Drent R.H. 1980. The Starling as a successful forager. In: Wright E.N., Inglis I.R. & Feare C.J. (eds) Bird problems in agriculture. British Crop Protection Council, London, pp. 83–97.
- Zwarts L. & Drent R.H. 1981. Prey depletion and the regulation of predation density: Oystercatchers (*Haematopus ostralegus*) feeding on Mussels (*Mytilus edulis*). In: Jones N.V. & Wolff W.J. (eds) Feeding and survival strategies of estuarine organisms. Plenum Publishing, New York, pp. 193–216.
- Drent R.H. 1982. Risk–benefit assessment in animals. In: Griffin D.R. (ed.) Animal mind – Human mind. Springer, Berlin, pp. 75–94.
- Prop J., van Eerden M.R. & Drent R.H. 1984. Reproductive success of the Barnacle Goose *Branta leucopsis* in relation to food exploitation on the breeding grounds, western Spitsbergen. *Norsk Polarinstitut Skrifter* 181: 87–118.
- Drent R.H. 1985. Retirement of Prof. Dr. H. Klomp as editor of *Ardea*. *Ardea* 73: 1–2.
- Drent R.H., Tinbergen J.M. & Bakker K. 1985. Adaptatie en gedrag. In: Bakker K., Cappenberg T.E., Croin Michielsen N., Freijns A.H.J., Nienhuis P.H. & Woldendorp J.W. (eds) Inleiding tot de oecologie. Bohn, Scheltema & Holkema, Utrecht, pp. 100–126.
- Drent R.H., Tinbergen J.M. & Biebach H. 1985. Incubation in the Starling, *Sturnus vulgaris* – Resolution of the conflict between egg care and foraging. *Netherlands Journal of Zoology* 35: 103–123.
- Teunissen W., Spaans B. & Drent R. 1985. Breeding success in Brent in relation to individual feeding opportunities during spring staging in the Wadden Sea. *Ardea* 73: 109–119.
- Westerterp K. & Drent R.H. 1985. Energetic costs and energy saving mechanisms in parental care of free-living passerine birds as determined by the D₂¹⁸O method. *Acta XVIII Congr. Int. Ornithol.* 392–398.
- Drent R.H. 1987. Biological invasions – Birds and mammals. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen Series C-Biological and Medical Sciences 90: 39–44.
- Drent R.H. & Prins H.H.T. 1987. The herbivore as prisoner of its food supply. In: van Andel J., Bakker J.P. & Snaydon R.W. (eds) Disturbance in grasslands. Dr. W. Junk, Dordrecht, pp. 131–147.
- de Boer W.F. & Drent R.H. 1989. A matter of eating or being eaten? The breeding performance of Arctic geese and its implications for waders. *Wader Study Group Bulletin* 55: 11–17.

- Drent R. & Piersma T. 1990. An exploration of the energetics of leap-frog migration in arctic-breeding waders. In: Gwinner E. (ed) Bird migration: Physiology and ecophysiology. Springer, Berlin, pp. 399–412.
- Drent R.H. 1991. Life in the Polar Winter – Epilogue. *Arctic* 44: 163–164.
- Klaassen M. & Drent R. 1991. An analysis of hatchling resting metabolism – In search of ecological correlates that explain deviations from allometric relations. *Condor* 93: 612–629.
- Drent R.H. 1992. Energetic requirements of annual processes – Introduction. *Ardea* 80: 3–4.
- Drent R.H., Klaassen M. & Zwaan B. 1992. Predictive growth budgets in terns and gulls. *Ardea* 80: 5–17.
- Ens B.J., Piersma T. & Drent R.H. 1994. The dependence of waders and waterfowl migrating along the East Atlantic Flyway on their coastal food supplies – What is the most profitable research program. *Ophelia* 127–151.
- Drent R.H. 1995. Foreword: Riding on the crest of the wave. *Ardea* 83: v.
- Drent R.H. & Tinbergen J.M. 1995. Adaptatie en gedrag. In: Bakker K., Cappenberg T.E., Croin Michielsen N., Freijnsen A.H.J., Nienhuis P.H. & Woldendorp J.W. (eds) *Oecologie*. Bohn Stafleu van Loghum, Houten, pp. 200–223.
- Ens B.J., Weissing F.J. & Drent R.H. 1995. The despotic distribution and deferred maturity – Two sides of the same coin. *American Naturalist* 146: 625–650.
- Drent R.H. 1996. Foreword: Foreward, ever onwards. *Ardea* 84A: v–vi.
- Drent R.H. 1996. Energetic bottlenecks in the annual cycle of migratory wildfowl (Anatidae). *Gibier Faune Sauvage* 13: 615–634.
- Piersma T., Bruinzeel L., Drent R., Kersten M., van der Meer J. & Wiersma P. 1996. Variability in basal metabolic rate of a long-distance migrant shorebird (Red Knot, *Calidris canutus*) reflects shifts in organ sizes. *Physiological Zoology* 69: 191–217.
- Dietz M.W. & Drent R.H. 1997. Effect of growth rate and body mass on resting metabolic rate in galliform chicks. *Physiological Zoology* 70: 493–501.
- Graveland J. & Drent R.H. 1997. Calcium availability limits breeding success of passerines on poor soils. *Journal of Animal Ecology* 66: 279–288.
- Loonen M.J.J.E., Oosterbeek K. & Drent R.H. 1997. Variation in growth of young and adult size in barnacle geese *Branta leucopsis*: Evidence for density dependence. *Ardea* 85: 177–192.
- Black J.M., Cooch E.G., Loonen M.J.J.E., Drent R.H. & Owen M. 1998. Body size variation in barnacle goose colonies: Evidence for local saturation of habitats. *Norsk Polarinstitutt Skrifter* 200: 129–140.
- Drent R.H., Black J.M., Loonen M.J.J.E. & Prop J. 1998. Barnacle geese *Branta leucopsis* on Nordenskiöldkysten, western Spitsbergen – In thirty years from colonisation to saturation. *Norsk Polarinstitutt Skrifter* 200: 105–114.
- Drent R.H. & Mehlum F. 1998. Arctic geese: Herbivore–vegetation interaction, predators and human pressures – a symposium synthesis. *Norsk Polarinstitutt Skrifter* 200: 313–321.

- Nolet B.A. & Drent R.H. 1998. Bewick's Swans refuelling on pondweed tubers in the Dvina Bay (White Sea) during their spring migration: first come, first served. *Journal of Avian Biology* 29: 574–581.
- van der Wal R., Kunst P. & Drent R. 1998. Interactions between hare and brent goose in a salt marsh system: evidence for food competition? *Oecologia* 117: 227–234.
- Drent R.H. & van der Wal R. 1999. Cyclic grazing in vertebrates and the manipulation of the food resource. In: Olf H., Brown V.K. & Drent R.H. (eds) *Herbivores: Between plants and predators*. Blackwell Science, Oxford, pp. 271–299.
- Loonen M.J.J.E., Bruinzeel L.W., Black J.M. & Drent R.H. 1999. The benefit of large broods in barnacle geese: a study using natural and experimental manipulations. *Journal of Animal Ecology* 68: 753–768.
- Meijer T. & Drent R. 1999. Re-examination of the capital and income dichotomy in breeding birds. *Ibis* 141: 399–414.
- Olf H., Brown V.K. & Drent R.H. 1999. Preface. In: Olf H., Brown V.K. & Drent R.H. (eds) *Herbivores: Between plants and predators*. Blackwell Science, Oxford, pp. ix–x.
- Drent R.H. 2000. Dropping the pilot: Gerard Baerends 1916–1999 – In memoriam. *Ardea* 88: 113–118.
- van der Wal R., van Lieshout S., Bos D. & Drent R.H. 2000. Are spring staging brent geese evicted by vegetation succession? *Ecography* 23: 60–69.
- Stahl J., Tolsma P.H., Loonen M.J.J.E. & Drent R.H. 2001. Subordinates explore but dominants profit: resource competition in high Arctic barnacle goose flocks. *Animal Behaviour* 61: 257–264.
- Drent R., Roselaar C. & Wattel J. 2002. Karel Hendrik Voous II – 1920–2002 – Obituary. *Ibis* 144: 551–552.
- Green M., Alerstam T., Clausen P., Drent R. & Ebbinge B.S. 2002. Dark-bellied Brent Geese *Branta bernicla bernicla*, as recorded by satellite telemetry, do not minimize flight distance during spring migration. *Ibis* 144: 106–121.
- Green M., Alerstam T., Clausen P., Drent R. & Ebbinge B.S. 2002. Site use by dark-bellied brent geese *Branta bernicla bernicla* on the Russian tundra as recorded by satellite telemetry: Implications for East Atlantic Flyway conservation. *Wildlife Biology* 8: 229–239.
- Bakker J.P., Bos D., Drent R.H. & Loonen M.J.J.E. 2003. Rotganzen tussen polder en kwelder. *Levende Natuur* 104: 24–29.
- Drent R., Both C., Green M., Madsen J. & Piersma T. 2003. Pay-offs and penalties of competing migratory schedules. *Oikos* 103: 274–292.
- Drent R.H., Tieleman B.I. & Piersma T. 2003. Energy expenditure for free-living in birds: A life history perspective. *Comparative Biochemistry and Physiology Part A Molecular and Integrative Physiology* 134A: S18.
- Piersma T., Lindstrom A., Drent R.H., Tulp I., Jukema J., Morrison R.I.G., Reneerkens J., Schekkerman H. & Visser G.H. 2003. High daily energy expenditure of incubating shorebirds on High Arctic tundra: A circumpolar study. *Functional Ecology* 17: 356–362.

- Bos D., Drent R.H., Rubinigg M. & Stahl J. 2005. The relative importance of food biomass and quality for patch and habitat choice in Brent Geese *Branta bernicla*. *Ardea* 93: 5–16.
- Drent R.H. 2005. Groninger biologen in de meeuwenkolonie. In: van Loon A.J. & Mooser R. (eds) *Vogels van Schiermonnikoog*. Uniepers, Abcoude, pp. 129–131.
- van Eerden M.R., Drent R.H., Stahl J. & Bakker J.P. 2005. Connecting seas: Western Palaearctic continental flyway for water birds in the perspective of changing land use and climate. *Global Change Biology* 11: 894–908.
- van Gils J.A., de Rooij S.R., van Belle J., van der Meer J., Dekinga A., Piersma T. & Drent R. 2005. Digestive bottleneck affects foraging decisions in red knots *Calidris canutus*. I. Prey choice. *Journal of Animal Ecology* 74: 105–119.
- van Gils J.A., Battley P.F., Piersma T. & Drent R. 2005. Reinterpretation of gizzard sizes of red knots world-wide emphasises overriding importance of prey quality at migratory stopover sites. *Proceedings of the Royal Society B-Biological Sciences* 272: 2609–2618.
- Drent R. 2006. Working in nature's laboratory. In: Drent R., Tinbergen J., Bakker J. & Piersma T. (eds) *Seeking nature's limits: Ecologists in the field*. KNNV Publishing, Utrecht, pp. 10–20.
- Drent R.H. 2006. G.F. Makkink, prolific pioneer (1907–2006) – In Memoriam. *Ardea* 94: 141–143.
- Drent R.H. 2006. The timing of birds' breeding seasons: the Perrins hypothesis revisited especially for migrants. *Ardea* 94: 305–322.
- Drent R.H., Eichhorn G., van der Graaf A.J. & Stahl J. 2006. Migratory connectivity in Arctic Geese: Looking for the weakest link. *Journal of Ornithology* 147: 52.
- Drent R.H., Fox A.D. & Stahl J. 2006. Travelling to breed. *Journal of Ornithology* 147: 122–134.
- Drent R. & Daan S. 2006. Eberhard Gwinner 1938–2004: An appreciation. *Ardea* 94: 299–303.
- Eichhorn G., Afanasyev V., Drent R.H. & van der Jeugd H.P. 2006. Spring stopover routines in Russian Barnacle Geese *Branta leucopsis* tracked by resightings and geolocation. *Ardea* 94: 667–678.
- Jefferies R.L., Drent R.H. & Bakker J.P. 2006. Connecting arctic and temperate wetlands and agricultural landscapes: The dynamics of goose populations in response to global change. In: Verhoeven J.T.A., Beltman B., Bobbink R. & Whigham D.F. (eds) *Wetlands and natural resource management*. Springer, Berlin, pp. 293–314.
- Jefferies R.L. & Drent R.H. 2006. Arctic geese, migratory connectivity and agricultural change: calling the sorcerer's apprentice to order. *Ardea* 94: 537–554.
- Stahl J., Fox T. & Drent R. 2006. Travelling to breed – Proceedings of a workshop held in Kalo, Denmark, 21–23 November 2004 – Preface. *Ardea* 94: v–vi.
- Stahl J., van der Graaf A.J., Drent R.H. & Bakker J.P. 2006. Subtle interplay of competition and facilitation among small herbivores in coastal grasslands. *Functional Ecology* 20: 908–915.

- van der Graaf S.A.J., Stahl J., Klimkowska A., Bakker J.P. & Drent R.H. 2006. Surfing on a green wave – how plant growth drives spring migration in the Barnacle Goose *Branta leucopsis*. *Ardea* 94: 567–577.
- van der Jeugd H., Eichhorn G., Drent R., Larsson K. & Litvin K. 2006. Rapid range expansion and loss of migratory behaviour in the Barnacle Goose: food for thought. *Journal of Ornithology* 147: 69.
- Drent R.H., Eichhorn G., Flagstad A., van der Graaf A.J., Litvin K.E. & Stahl J. 2007. Migratory connectivity in Arctic geese: spring stopovers are the weak links in meeting targets for breeding. *Journal of Ornithology* 148: S501–S514.
- Trierweiler C., Koks B.J., Drent R.H., Exo K.M., Komdeur J., Dijkstra C. & Bairlein F. 2007. Satellite tracking of two Montagu's Harriers (*Circus pygargus*): dual pathways during autumn migration. *Journal of Ornithology* 148: 513–516.
- van der Graaf A.J., Stahl J., Veen G.F., Havinga R.M. & Drent R.H. 2007. Patch choice of avian herbivores along a migration trajectory – From temperate to arctic. *Basic and Applied Ecology* 8: 354–363.
- Drent R.H. & Prop J. 2008. Barnacle goose *Branta leucopsis* survey on Nordenskiöldkysten, west Spitsbergen 1975–2007: breeding in relation to carrying capacity and predator impact. *Circumpolar Studies* 4: 59–83.
- Eichhorn G., Drent R.H., Stahl J., Leito A. & Alerstam T. 2009. Skipping the Baltic: the emergence of a dichotomy of alternative spring migration strategies in Russian barnacle geese. *Journal of Animal Ecology* 78: 63–72.
- van der Jeugd H.P., Eichhorn G., Litvin K.E., Stahl J., Larsson K., van der Graaf A.J. & Drent R.H. 2009. Keeping up with early springs: rapid range expansion in an avian herbivore incurs a mismatch between reproductive timing and food supply. *Global Change Biology* 15: 1057–1071.
- Eichhorn G., van der Jeugd H.P., Meijer H.A.J. & Drent R.H. 2010. Fueling incubation: Differential use of body stores in arctic- and temperate-breeding Barnacle Geese (*Branta leucopsis*). *Auk* 127: 162–172.
- Vulink J.T., van Eerden M.R. & Drent R.H. 2010. Abundance of migratory and wintering geese in relation to vegetation succession in man-made wetlands: the effects of grazing regimes. *Ardea* 98: 319–328.
- Trierweiler C., Mullie W.C., Drent R.H., Exo K.M., Komdeur J., Bairlein F., Harouna A., de Bakker M. & Koks B.J. 2013. A Palaearctic migratory raptor species tracks shifting prey availability within its wintering range in the Sahel. *Journal of Animal Ecology* 82: 107–120.

Co-editor of the following books

- Baerends G.P. & Drent R.H. (eds) 1982. The Herring Gull and its egg. Part 2. The responsiveness to egg features. *Behaviour* 82.
- Olf H., Brown V.K. & Drent R.H. (eds) 1999. *Herbivores: Between plants and predators*. Blackwell Science, Oxford.
- Drent R., Tinbergen J., Bakker J. & Piersma T. (eds) 2006. *Seeking nature's limits: Ecologists in the field*. KNNV Publishing, Utrecht.